ClinicalTrials.gov Search Results 01/17/2024

	Title	Status	Study Results	Conditions	Interventions	Locations
1	Factors Influencing the COVID-19 Vaccine Immune Response According to Age and Presence or Not of a Past History of COVID-19	Completed	No Results Available	•Covid19	Biological: COVID-19 vaccine Pfizer (2 doses) Biological: COVID-19 vaccine Pfizer (1 dose) Biological: COVID-19 mRNA Vaccine Moderna (2 doses) Biological: COVID-19 mRNA Vaccine Moderna (1 dose)	•HCL - Hôpital Croix Rousse, Lyon, France •CHU de Saint-Etienne, Saint-Étienne, France
2	The Efficacy of the 2023-2024 Updated COVID-19 Vaccines Against COVID-19 Infection	Recruiting	No Results Available	•COVID-19 •Vaccine-Preventable Diseases •SARS CoV 2 Infection •Upper Respiratory Tract Infection •Upper Respiratory Disease	 Biological: Novavax COVID-19 vaccine (2023-2024 formula XBB containing) Biological: Pfizer COVID-19 mRNA vaccine (2023-2024 formula XBB containing) 	University of Utah School of Medicine, Salt Lake City, Utah, United States
3	Effectiveness and Use of COVID-19 Vaccines Using Information From the California State Vaccine Registry	Recruiting	No Results Available	SARS-CoV-2 COVID-19 Post-Acute COVID-19 Syndrome	Biological: Pfizer-BioNTech COVID-19 bivalent mRNA vaccine	Pfizer, New York, New York, United States
4	Pfizer-BioNTech COVID-19 BNT162b2 Vaccine Effectiveness Study - Kaiser Permanente Southern California	Recruiting	No Results Available	•COVID-19	Biological: Primary Exposure Status of Pfizer-BioNTech COVID-19 Vaccine Biological: Bivalent vaccinated	Kaiser Permanente Southern California, Pasadena, California, United States
5	The BOOSTED (Booster Options Or Switching Tested for Effectiveness and Downsides Study) Trial (COVID-19)	Completed	No Results Available	COVID-19 Vaccine Reaction COVID-19 Pandemic	Behavioral: Moderna Booster Vaccine Behavioral: Pfizer Booster Vaccine	UCSF Parnassus, San Francisco, California, United States
6	Randomized, Single-blinded, Multicenter Trial Comparing the Immune Response to a 2nd Booster Dose of COVID-19 mRNA Vaccine (Pfizer-BioNTech) or Sanofi /GSK B.1.351 Adjuvanted Vaccine in Adults	Active, not recruiting	No Results Available	•COVID-19 Vaccines	Biological: 2nd booster with Comirnaty® (Pfizer-BioNTech) Biological: CoV2 preS dTM adjuvanted vaccine (B.1.351), Sanofi/GSK	•GH Broca-Cochin-Hôtel-Dieu CIC 1417 Cochin-Pasteur, Paris, France
7	Immunogenicity and Reactogenicity of the Beta-variant Recombinant Protein Booster Vaccine (VidPrevtyn Beta, Sanofi) Compared to a Bivalent mRNA Vaccine (Comirnaty Original/Omicron BA.4-5, BioNTech-Pfizer) in Adults Previously Vaccinated With at Least 3 Doses of COVID-19 mRNA Vaccine	Active, not recruiting	No Results Available	Vaccine Reaction COVID-19	Biological: Comirnaty® BNT162b2 / Omicron BA.4-5 vaccine (Pfizer-BioNTech) Biological: VidPrevtyn® Beta vaccine (Sanofi/GSK)	CIC 1417 Cochin-Pasteur, Paris, France
8	Immunogenicity and Reactogenicity Following a Booster Dose of COVID-19 mRNA Vaccine (Pfizer-BioNtech) and Two Adjuvanted Sub-unit Vaccines (SP/GSK) Administered in Adults Who Received 2 Doses of Pfizer-BioNTech mRNA Vaccine as a Primary Vaccination	Active, not recruiting	No Results Available	COVID-19 Vaccine Reaction	Biological: BNT162b2 Biological: CoV2 preS dTM adjuvanted vaccine (D614), Sanofi/GSK Biological: CoV2 preS dTM adjuvanted vaccine (B.1.351), Sanofi/GSK	•GH Broca-Cochin-Hôtel-Dieu CIC 1417 Cochin-Pasteur, Paris, France

	Title	Status	Study Results	Conditions	Interventions	Locations
9	PTX-COVID19-B, an mRNA Humoral Vaccine, Intended for Prevention of COVID-19 in a General Population. This Study is Designed to Demonstrate the Safety, Tolerability, and Immunogenicity of PTX-COVID19-B in Comparison to the Pfizer-BioNTech COVID-19 Vaccine.	Completed	No Results Available No Results Available	Covid19 Vaccine Coronavirus Disease 2019 (Covid19)	Biological: PTX-COVID19-B Biological: Pfizer-BioNTech COVID-19 vaccine Biological: Placebo Drug: anti-COVID19 mRNA-based vaccine	 LMC Clinical Research Inc. (Calgary), Calgary, Alberta, Canada Malton Medical, Mississauga, Ontario, Canada Red Maple, Ottawa, Ontario, Canada Pharma Medica Research Inc., Toronto, Ontario, Canada Manna Bayview, Toronto, Ontario, Canada Manna Toronto, Toronto, Ontario, Canada Wits Vaccines & Infections Diseases Analytics (VIDA) Research Unit, Johannesburg, Gauten, South Africa MERC Middleburg, Middleburg, Mpumalanga, South Africa TREAD Research, Cape Town, Western Cape, South Africa UCT Lung Institute, Cape Town, Western Cape, South Africa Be Part Research, Paarl, Western Cape, South Africa CHU Liège, Domaine du Sart-Tilman, Liège, Belgium
44	Coronavirus Disease 19 (COVID-19) Vaccine in Allogeneic Stem Cell Recipients (Covid Vaccin Allo)	De consistina a	No Descrite Associated	Hematopoietic Neoplasms	(BNT162b2, Comirnaty®, commercialized by Pfizer)	Albainanain af Michinan Ann Adhan Michinan Ibair af Otata
11	Assessing Safety of Coronavirus Infection (COVID-19) Messenger RNA (mRNA) Vaccine Administration in the Setting of a Previous Adverse Reaction	Recruiting	No Results Available	Corona Virus Infection • Corona Virus Infection	Biological: Pfizer-BioNTech mRNA COVID-19 vaccine Biological: Moderna mRNA COVID-19 vaccine	University of Michigan, Ann Arbor, Michigan, United States
12	Third Dose Vaccination With AstraZeneca or Pfizer COVID-19 Vaccine Among Adults Received Sinovac COVID-19 Vaccine	Completed	No Results Available	COVID-19 Infection COVID-19 VACCINE	Biological: AstraZeneca ChAdOx1 AZD1222 vaccine (AZ) full dose Biological: Pfizer/BioNTech BNT162b2 vaccine (PF) full dose Biological: AstraZeneca ChAdOx1 AZD1222 vaccine (AZ) half dose Biological: Pfizer/BioNTech BNT162b2 vaccine (PF) half dose	 Faculty of Medicine Siriraj Hospital, Mahidol University, Bangkok Noi, Bangkok, Thailand Faculty of Medicine Chulalongkorn University, Pathum Wan, Bangkok, Thailand Faculty of Medicine Thammasat University, Khlong Luang, Pathum Thani, Thailand Chakri Naruebodindra Medical Institute, Faculty of Medicine Ramathibodi hospital, Mahidol University, Bang Phli, Samut Prakan, Thailand Faculty of Medicine, Prince of Songkla University, Hat Yai, Songkla, Thailand Faculty of Medicine, Chiang Mai University, Chiang Mai, Thailand Faculty of Medicine, Khon Kaen University, Khon Kaen, Thailand
13	This Study Intends to Describe the Characteristics of Patients Given the Pfizer-BioNTech Bivalent mRNA COVID-19 Vaccine and Any Commercially Available Influenza Vaccines at the Same Time Versus at Different Times.	Completed	No Results Available	•Influenza, Human •COVID-19	Biological: Comirnaty Biological: Quadrivalent Influenza Vaccine	Pfizer, New York, New York, United States
14	mRNA Booster Vaccine(SW-BIC-213) Compared With Pfizer andSinopharm Against Emerging VOCs	Active, not recruiting	No Results Available	ImmunogenicitySafetyEfficacy	 Biological: SW-BIC-213;SARS-Cov-2. Biological: Sinopharm (BIBP);SARS-Cov-2. Biological: Pfizer(BNT162b2);SARS-Cov-2. 	Savannakhét Provincial hospital, Savannakhét, Sava, Lao People's Democratic Republic
15	The Impact of COVID-19 on Maternal and Neonatal Outcomes	Recruiting	No Results Available	COVID-19 Pregnancy; Infection	Biological: mRNA COVID-19 vaccine (Pfizer or Moderna)	Johns Hopkins Hospital, Baltimore, Maryland, United States
16	COVID-19 Protection After Transplant Pilot Study	Completed	No Results Available	•Kidney Transplant Recipients	Biological: mRNA-1273 vaccine (Pfizer/BioNTech) Biological: mRNA-1273 vaccine (Moderna)	Johns Hopkins Hospital, Baltimore, Maryland, United States
17	Role of Vit-D Supplementation on BioNTech, Pfizer Vaccine Side Effect and Immunoglobulin G Response	Completed	No Results Available	COVID-19 Respiratory Infection	Combination Product: Vitamin-D	Hawal Lateef Fateh, Sulaymaniyah, Iraq

	Title	Status	Study Results	Conditions	Interventions	Locations
18	Fourth Dose of mRNA COVID-19 Vaccine in Residents of	Not yet recruiting	No Results Available	•SARS-CoV2 Infection	•Drug: mRNA- COVID-19	McMaster University, Hamilton, Ontario, Canada
	<u>LTCFs</u>			Coronavirus Infection	Drug: Prevnar13	
19	COVID-19 Vaccine Boosters in Patients With CKD	Terminated	No Results Available	Chronic Kidney Diseases COVID-19	Biological: Pfizer-BioNTech COVID-19 Vaccine Biological: MODERNA SARS-CoV-2 Vaccine	Scarborough Health Network, Scarborough, Ontario, Canada University Health Network, Toronto, Ontario, Canada Sunnybrook Health Science Center, Toronto, Ontario, Canada
20	Evaluation of Full Versus Fractional Dose of COVID-19 Vaccine Given as a Booster for the Prevention of COVID-19 in Adults in Mongolia.	Active, not recruiting	No Results Available	•COVID-19	Biological: Tozinameran - Standard Dose Biological: Tozinameran - Fractional Dose	District Health Centre, Ulaanbaatar, Mongolia
21	A Real-world Evidence Study of BNT162b2 mRNA Covid-19 Vaccine in Brazil	Completed	No Results Available	•Covid19	 Drug: Pfizer/BioNTech BNT162b2 mRNA COVID-19 vaccine Drug: CoronaVac COVID-19 vaccine Drug: ChAdOx1 nCoV-19 Covid-19 Vaccine Drug: Ad26.COV2.S COVID-19 Vaccine 	 Pronto Atendimento Municipal de Toledo, Toledo, Paraná, Brazil Unidade Básica de Saúde Jardim Cosmos, Toledo, PR, Brazil Unidade de Pronto Atendimento Pediátrico Dr. José Ivo Alves da Rocha, Toledo, PR, Brazil
22	Cardiac Manifestation in Adolescent After Pfizer COVID-19 Injection in Thailand	Completed	No Results Available	Covid-19 Vaccine	Diagnostic Test: Diagnostic of ECG	•Faculty of Tropical Medicine, BAngkok, Thailand
23	PROSPECTIVE OPEN LABEL CLINICAL TRIAL TO ADMINISTER A BOOSTER DOSE OF PFIZER/BIONTECH OR MODERNA COVID-19 VACCINE IN HIGH-RISK INDIVIDUALS	Recruiting	No Results Available	•SARS CoV 2 Infection •COVID-19	Biological: Pfizer/BioNTech (BNT162b2) Biological: Moderna	Brownsville Independent School District, Brownsville, Texas, United States DHR Health Institute for Research and Development, Edinburg, Texas, United States Edinburg CISD School Based Health Center, Edinburg, Texas, United States Starr County Memorial Hospital, Rio Grande City, Texas, United States
24	Compare Immunological Efficacy of a Vaccine Regimen Combining Two Covid19 mRNA Vaccines (Pfizer-BioNTech and Moderna) With That of a Homologous Vaccination of Each Covid19 mRNA Vaccine	Unknown status	No Results Available	 Adult Who Received a First Dose of an mRNA Vaccine (Pfizer-BioNTech or Moderna) and Need to Receive a Second Dose 	Biological: Pfizer Biological: Moderna	CIC 1417 Cochin-Pasteur, Paris, France
25	Phase 2a Trial to Evaluate Safety and Immunogenicity of COVID-19 Vaccine Strategies in HIV-infected/Uninfected Adults.	Recruiting	No Results Available	•COVID-19	•Drug: Ad26.COV2.S (VAC31518, JNJ-78436735) Vaccine, SARS-CoV-2 rS (CovovaxTM), BNT162b2 (Pfizer)	 The Aurum Institute: Pretoria Clinical Research Centre, Pretoria, Gauteng, South Africa The Aurum Institute: Tembisa Clinical Research Centre, Clinic 4, Tembisa, Gauteng, South Africa The Aurum Institute: Tembisa Clinical Research Centre, Tembisa, Gauteng, South Africa The Aurum Institute: Gavin J Churchyard Legacy Centre, Klerksdorp, North West Province, South Africa The Aurum Institute: Rustenburg Clinical Research Centre, Rustenburg, North-West Province, South Africa
26	COVID-19: Safety and Immunogenicity of a Reduced Dose of the BioNTech/Pfizer BNT162b2 Vaccine	Completed	No Results Available	•Covid19	Diagnostic Test: immunogenicity after first and second dose	•Mensura EDPB, Antwerp, Belgium
27	Immune Response to the COVID-19 Vaccine	Completed	No Results Available	Covid19CancerMalignancyVaccine Response Impaired	Biological: SARS-COV2 Pfizer Vaccine	•University of Arizona, Tucson, Arizona, United States

	Title	Status	Study Results	Conditions	Interventions	Locations
28	A Real-world Evidence Study of BNT162b2 mRNA Covid-19 Vaccine Among Children in Brazil	Completed	No Results Available	•COVID-19	Biological: Pfizer/BioNTech BNT162b2 mRNA COVID-19 vaccine Biological: CoronaVac COVID-19 vaccine	 Jardim Coopagro, Toledo, PR, Brazil Jardim Cosmos primary healthcare unit, Toledo, PR, Brazil Jardim Maracanã, Toledo, PR, Brazil Jardim Porto Alegre, Toledo, PR, Brazil Pediatric Emergency Service, Toledo, PR, Brazil
29	Determining Reactogenicity and Immunogenicity of Delayed COVID-19 Vaccine Schedule in Children	Recruiting	No Results Available	Vaccine Reaction COVID-19 Children, Only	Biological: BNT162b2 Pfizer-BioNTech/ Comirnaty	•KK Women's and Children's Hospital, Bukit Timah, Singapore
30	Lymph Node Aspiration to Decipher the Immune Response of Beta-variant Recombinant Protein Booster Vaccine (VidPrevtyn Beta, Sanofi) Compared to a Bivalent mRNA Vaccine (Comirnaty Original/Omicron BA.4-5, BioNTech-Pfizer) in Adults Previously Vaccinated With at Least 3 Doses of COVID-19 mRNA Vaccine.	Recruiting	No Results Available	•COVID-19	Procedure: Lymph node aspiration / Blood sampling	•GH Broca-Cochin-Hôtel-Dieu CIC 1417 Cochin-Pasteur, Paris, France
31	Evaluation of COVID-19 Vaccines Given as a Booster in Healthy Adults in Indonesia (MIACoV Indonesia)	Not yet recruiting	No Results Available	•COVID-19	Biological: Pfizer-BioNTech Standard dose Biological: AstraZeneca Standard dose Biological: Pfizer-BioNTech Fractional dose Biological: AstraZeneca Fractional dose Biological: Moderna Standard dose Biological: Moderna Fractional dose	 Puskesmas Ciumbuleuit, Bandung, West Java, Indonesia Puskesmas Dago, Bandung, West Java, Indonesia Puskesmas Garuda, Bandung, West Java, Indonesia
32	An Observational Study of Moderna COVID-19 Bivalent Vaccines (Original and Omicron BA.4/BA.5) and 2023 Updated mRNA COVID-19 Vaccines (XBB.1.5)	Active, not recruiting	No Results Available	•COVID-19	 Biological: Moderna COVID-19 Vaccine Biological: Moderna mRNA1273.222 Booster Biological: Pfizer COVID-19 Vaccine Biological: Moderna 2023 Updated COVID-19 vaccine (XBB.1.5) Biological: Pfizer 2023 Updated COVID-19 vaccine (XBB.1.5) 	•Science37, Culver City, California, United States
33	Evaluation of Full Versus Fractional Doses of COVID-19 Vaccines Given as a Booster in Adults in Australia - Mongolia, Indonesia, Australia Coronavirus (MIACoV).	Completed	No Results Available	•COVID-19	 Biological: Tozinameran - Standard dose Biological: Tozinameran - fractional dose Biological: Elasomeran - standard dose Biological: Elasomeran - fractional dose 	•Royal Children's Hospital, Melbourne, Victoria, Australia
34	The Impact of Vaccination on Severity of Illness in COVID-19	Completed	Has Results	•Covid19	Biological: COVID-19 vaccine	Beaumont Hospital - Royal Oak, Royal Oak, Michigan, United States
35	Effectiveness of BNT162b2 Formulations Using State Vaccine Registry and Insurance Claims Data	Not yet recruiting	No Results Available	•SARS-CoV-2 •COVID-19 Vaccines	Biological: Vaccination	Pfizer Global Headquarters, New York, New York, United States
36	Immunogenicity of COVID-19 Vaccines in Tuberculosis Patients	Enrolling by invitation	No Results Available	Covid-19 Pandemics Tuberculosis	 Biological: Pfizer-BioNTech COVID-19 vaccine Biological: AstraZeneca vaccine Biological: Janssen Ad26.COV2.S COVID-19 vaccine 	Shoklo Malaria Research Unit (SMRU), Mae Ramat, Tak, Thailand
37	Safety and Immunogenicity of the RNA MCTI CIMATEC HDT Vaccine	Not yet recruiting	No Results Available	COVID-19 COVID-19 Vaccine	 Biological: RNA MCTI CIMATEC HDT 5µg Biological: RNA MCTI CIMATEC HDT 10µg Biological: Covishield® - AstraZeneca Biological: Comirnaty® - Pfizer 	

	Title	Status	Study Results	Conditions	Interventions	Locations
38	An Observer-blind, Cohort Randomized, Exploratory Phase 3 Study to Evaluate the Safety and Immunogenicity of Recombinant Covid-19 Vaccine, mRNA Covid-19 Vaccine and Recombinant SARS-CoV-2 Trimeric S-protein Subunit Vaccine as 4th Dose in Individuals Primed/ Boosted With Various Regimens	Not yet recruiting	No Results Available	•COVID-19	Biological: AstraZeneca/Fiocruz Biological: Pfizer/Wyeth Biological: Clover SCB-2019	 Centro de Estudos e Pesquisa em Moléstias Infecciosas (CEPCLIN), Natal, Rio Grande Do Norte, Brazil Crie Unifesp, São Paulo, SP, Brazil Hospital Gloria D'or, Rio De Janeiro, Brazil
39	Immunogenicity and Safety of Fractional Booster Dose of COVID-19 Vaccines Available for Use in Pakistan/Brazil: A Phase 4 Dose-optimizing Trial	Recruiting	No Results Available	•COVID-19	Biological: SinovacBiological: AZD1222Biological: BNT162b2	FIOCRUZ, Campo Grande, MS Do Sul, Brazil Aga Khan University Clinical Trials Unit, Karachi, Sindh, Pakistan
40	COVID19 SARS Vaccinations: Systemic Allergic Reactions to SARS-CoV-2 Vaccinations	Completed	Has Results	SARS-CoV Infection COVID-19 Allergic Reaction Mast Cell Disorder	Biological: Moderna COVID-19 Vaccine Biological: Pfizer-BioNTech COVID-19 Vaccine Biological: Placebo Biological: Placebo	 University of Arizona Health Sciences, College of Medicine Tucson, Department of Medicine, Division of Pulmonary, Allergy, Critical Care and Sleep Medicine, Tucson, Arizona, United States Arkansas Children's, University of Arkansas for Medical Sciences, Little Rock, Arkansas, United States University of California, Los Angeles Medical Center, Los Angeles, California, United States Stanford Medicine, Sean N. Parker Center for Allergy & Asthma Research, Stanford, California, United States National Jewish Health, Denver, Colorado, United States University Health, University of Miami Health System, Miami, Florida, United States University of South Florida Asthma Allergy and Immunology Clinical Research Unit, Tampa, Florida, United States Emory University School of Medicine, Emory Healthcare: Emory Clinic Allergy and Immunology, Atlanta, Georgia, United States Sinus and Allergy Center of Northwestern University, Chicago, Illinois, United States NorthShore University HealthSystem, Dermatology Clinical Trials Unit, Skokie, Illinois, United States and 19 more
42	Immunogenicity of Heterologous Versus Homologous Prime Boost Schedule With mRNA and Inactivated COVID-19 Vaccines The Safety of Administering a Second Dose of a COVID-19 mRNA Vaccine in Individuals Who Experienced a Systemic Allerric Reaction to an Initial Dose	Completed	No Results Available Has Results	OVID-19 Systemic Allergic Reaction	Biological: CoronaVac/CoronaVac Biological: CoronaVac/BNT162b2 Biological: Pfizer-BioNTech COVID-19 Vaccine (Comirnaty)	 Leoni factory (Governorate of Bizerte), Bizerte, Mateur, Tunisia Géant supermarket (Governorate of Ariana), Ariana, Mnihla, Tunisia Vaccination center of Ariana, Ariana, Tunisia STEG head office (Governorate of Tunis), Tunis, Tunisia Institut Pasteur de Tunis, Tunis, Tunisia National Institutes of Health Clinical Center, Bethesda, Maryland, United States
43	Assessment of Immunogenicity, Safety and Reactogenicity of a Booster Dose of Various COVID-19 Vaccine Platforms in	Active, not recruiting	No Results Available	•COVID-19	Other: Placebo Biological: Pfizer-BioNTech COVID-19 Vaccine, Bivalent Biological: SCB-2019/Clover	Centro de Estudos e Pesquisas em Moléstias Infecciosas - CERCLINI Natal Rio Grande Do Norte Brazil
	of a Booster Dose of Various COVID-19 Vaccine Platforms in Individuals Primed With Several Regimes.				Biological: AstraZeneca/Fiocruz Biological: Pfizer/Wyeth	CEPCLIN, Natal, Rio Grande Do Norte, Brazil Centro de Referência para Imunobiológicos Especiais - CRIE - UNIFESP, São Paulo, Brazil
44	COVID-19 Breakthrough Infection in Fully Vaccinated People and in People Who Received a Booster Dose	Completed	No Results Available	•COVID-19 Pneumonia •COVID-19	Biological: Pfizer COVID-19 mRNA vaccine Biological: Moderna COVID-19 mRNA vaccine	Methodist Dallas Medical Center, Dallas, Texas, United States

	Title	Status	Study Results	Conditions	Interventions	Locations
45	A Study to Evaluate the Safety, Tolerability, and Immunogenicity of a Combined Modified RNA Vaccine	Not yet recruiting	No Results Available	•Influenza	Biological: Influenza and COVID-19 Combination A	North Alabama Research Center, Athens, Alabama, United States
	Candidate Against COVID-19 and Influenza.			•COVID-19	Biological: Licensed influenza vaccine COVID 40 V	Accel Research Sites Network - Birmingham Clinical Research Unit, Birmingham, Alabama, United States
					Biological: COVID-19 Vaccine Biological: Influenza and COVID-19	Medical Affiliated Research Center, Huntsville, Alabama, United States
					Combination B •Biological: Placebo	Alliance for Multispecialty Research, LLC, Mobile, Alabama, United States
						HOPE Research Institute, Phoenix, Arizona, United States
						•The Pain Center of Arizona, Phoenix, Arizona, United States
						•Foothills Research Center/ CCT Research, Phoenix, Arizona, United States
						Scottsdale Clinical Trials, Scottsdale, Arizona, United States
						Alliance for Multispecialty Research, LLC, Tempe, Arizona, United States
						Baptist Health Center for Clinical Research, Little Rock, Arkansas, United States
						•and 109 more
46	COVID-19 Fourth Dose Study in Australia	Withdrawn	No Results Available	•COVID-19	Biological: Tozinameran	Royal Children's Hospital, Murdoch Children's Research Institute, Melbourne, Victoria, Australia
					Biological: Elasomeran	institute, Meibourne, Victoria, Australia
					Biological: Bivalent Pfizer-BioNTech	
					Biological: Bivalent Moderna	
47	Efficacy, Immunogenicity and Safety of Inactivated Vaccine (Coronavac) Against SARS-COV2 in Children and Adolescents	Recruiting	No Results Available	•COVID-19	Biological: Inactivated Coronavac/Butantan vaccine	Valéria Valim, Vitória, Espírito Santo, Brazil
	Adolescents				Biological: BNT162b2 (Pfizer)	
48	Bringing Optimised COVID-19 Vaccine Schedules To ImmunoCompromised Populations (BOOST-IC): an Adaptive Randomised Controlled Clinical Trial	Recruiting	No Results Available	 HIV Organ Transplantation Lymphoma, Non-Hodgkin Chronic Lymphocytic Leukemia Multiple Myeloma 	Biological: Pfizer Bivalent COVID-19 Vaccine Biological: Moderna Bivalent mRNA vaccine	Alfred Health, Melbourne, Victoria, Australia
				•COVID-19 Vaccines		
49	Immunogenicity and Safety of a Booster Vaccination With a Recombinant Protein RBD Candidate Vaccine Against SARS-CoV-2 in Healthy Adults Volunteers Fully Vaccinated Followed by an Extension Period to Study a Fourth Dose Administration.	Active, not recruiting	No Results Available	SARS-CoV-2 Acute Respiratory Disease	Biological: COVID-19 Vaccine HIPRA Biological: Cominarty (Pfizer-BioNtech)	 Hospital Germans Trias I Pujol, Badalona, Barcelona, Spain Hospital Principe de Asturias, Meco, Madrid, Spain Hospital de Cruces, Barakaldo, Vizcaya, Spain Hospital Vall Hebron, Barcelona, Spain Hospital Clinic de Barcelona, Barcelona, Spain Hospital Universitari Dr. Josep Trueta, Girona, Spain Hospital Gregorio Marañón, Madrid, Spain Hospital Universitario La Paz, Madrid, Spain Hospital Regional Universitario de Málaga, Málaga, Spain Hospital Clínico de Valencia, Valencia, Spain
50	IH Convidecia as Second Booster Dose Against Breakthrough Infections	Completed	No Results Available	•COVID-19	 Biological: Recombinant COVID-19 vaccine (adenovirus type 5 vector) for Inhalation (Ad5-nCoV-IH) Biological: mRNA vaccine BNT162b2 (Pfizer) 	Hospital Ampang, Ampang, Selangor Darul Ehsan, Malaysia

	Title	Status	Study Results	Conditions	Interventions	Locations
51	A Study to Understand is the COVID-19 Vaccine BNT162b2 is Safe in Indonesia People	Completed	No Results Available	•COVID-19	Biological: BNT162b2	Pfizer, Jakarta, Indonesia
52	Assessing the Immunogenicity and Safety of a HIPRA's Candidate Booster Vaccination in Adults Fully Vaccinated With Adenovirus Vaccine Against COVID-19.	Completed	No Results Available	SARS-CoV-2 Acute Respiratory Disease	Biological: COVID-19 Vaccine HIPRA 40 ug/dose Biological: Comirnaty (Pfizer-BioNtech) 30 ug/dose concentrate for dispersion for injection	 Hospital HM Modelo, Coruña, Spain Hospital Gregorio Marañón, Madrid, Spain Hospital HM Sanchinarro, Madrid, Spain Hospital HM Puerta del Sur, Móstoles, Spain Complejo Hospitalario Universitario de Santiago, Santiago De Compostela, Spain Hospital HM Rosaleda, Santiago De Compostela, Spain Complejo Hospitalario Universitario de Vigo, Vigo, Spain
53	Immunogenicity and Safety of ChulaCov19 BNA159 and ChulaCov19 BNA159.2 Vaccines as a Booster Dose in Adults	Recruiting	No Results Available	•COVID-19, SARS CoV 2 Infection	Biological: ChulaCov19 BNA159 vaccine (50 mcg) Biological: Pfizer/BNT vaccine (30 mcg) Biological: COMVIGEN (ChulaCov19 BNA159.2) vaccine (50 mcg)	 Paratus research Canberra Clinic, Bruce, Australian Capital Territory, Australia Paratus Clinical Research Western Sydney, Blacktown, New South Wales, Australia Paratus Clinical Research Central Coast, Kanwal, New South Wales, Australia The Children's Hospital at Westmead Sydney, Westmead, New South Wales, Australia Paratus Clinical Research- Brisbane Clinic, Albion, Queensland, Australia
54	COVID-19 Vaccination and Breakthrough Infections Among Persons With Immunocompromising Conditions in the United States	Completed	No Results Available	•Immunocompromised •Immunosuppressed •Covid-19 •SARS-COV-2 •SARS-COV-2 Infection •Breakthrough Infection	Biological: BNT162b2 (Tozinameran)	Pfizer Inc., New York, New York, United States
55	COVID-19 Vaccine Induced Immunity	Unknown status	No Results Available	•Covid19	•Drug: covid19 vaccine	
56	SARS-CoV-2 Antibody Response in Children Aged 5-11 Years Following Vaccination Against COVID-19	Unknown status	No Results Available	•COVID-19 Vaccine		Schneider Children's Medical Center, Petach Tikva, Israel
57	Comparative Study of Patterns of Immune Response to COVID 19 Vaccination	Recruiting	No Results Available	•Immune Response to Covid 19 Vaccination	Biological: Covid vaccines (Moderna Pfizer- Astra Zeneca- Johnson and Johnson - Sinopahrm)	National Research Center, Cairo, Dokki, Egypt
58	Comparative Evaluation of Covid-19 Vaccines Response	Unknown status	No Results Available	•COVID-19 Vaccines	Biological: Covid-19 Inactive Vaccine, recombinant human adenovirus serotype number 26, mRNA VAccine	*Karamanoglu Mehmetbey University, Karaman, Turkey *Selcuk University, Konya, Turkey *Tekirdag Nam#k Kemal University, Faculty of Medicine, Tekirda#, Turkey *Karadeniz Technic University, Faculty of Medicine, Trabzon, Turkey
59	FDG (Fluorodeoxyglucose) Findings After COVID-19 Vaccination	Completed	No Results Available	Vaccine Reaction Oncology	Diagnostic Test: F-18 FDG PET/CT imaging Biological: Pfizer/biontech mRNA vaccine	Kocaeli University School of Medicine Dep. of Nuclear Medicine, Kocaeli, Turkey
60	BNT162b2 Messenger Ribonucleic Acid (mRNA) Covid-19 Vaccine in Cancer Patients on Active Treatment	Unknown status	No Results Available	Neoplasms Cancer, Treatment-Related	Biological: BNT162b2 mRNA Covid-19 Vaccine	•E.O. Ospedali Galliera, Genova, Italy

	Title	Status	Study Results	Conditions	Interventions	Locations
61	A Study to Learn About Bivalent COVID-19 RNA Vaccine Candidate(s) in Healthy Infants and Children	Not yet recruiting	No Results Available	•COVID-19	Biological: Bivalent BNT162b2 (original/ Omicron BA.4/BA.5) 3 microgram dose Biological: Bivalent BNT162b2 (original/ Omicron BA.4/BA.5) 6 microgram dose Biological: Bivalent BNT162b2 (original/ Omicron BA.4/BA.5) 10 microgram dose Biological: Bivalent BNT162b2 (original/ Omicron BA.4/BA.5) 1 microgram dose	
62	A Study to Look at the Health Outcomes of Patients With COVID-19 and Influenza.	Not yet recruiting	No Results Available	COVID-19 Coronavirus Disease 2019 Influenza	Biological: COVID-19 Vaccine	
63	Vaccination for Recovered Inpatients With COVID-19 (VATICO)	Completed	No Results Available	•Covid19	Biological: Moderna mRNA-1273 COVID-19 vaccine Biological: Pfizer BNT162b2 COVID-19 vaccine	 Cedars-Sinai Medical Center (Site 208-002), 8700 Beverly Blvd, Los Angeles, California, United States San Francisco VAMC (Site 074-002), 4150 Clement Street, San Francisco, California, United States Stanford University Hospitals & Clinics (Site 203-003), Stanford University, School of Medicine, 300 Pasteur Dr., Grant Bldg, Room S011, Stanford, California, United States Lundquist Institute for Biomedical Innovation at Harbor-UCLA Medical Center (Site 066-002), 1124 W. Carson St., CDCRC, Torrance, California, United States Public Health Institute at Denver Health (Site 017-004), 660 Bannock Street, Denver, Colorado, United States Washington DC VA Medical Center (Site 009-004), 50 Irving Street, NW., Washington, District of Columbia, United States Hillsborough County Health Department, University of South Florida (Site 032-001), 1105 E. Kennedy Blvd., Tampa, Florida, United States Minneapolis VA Medical Center (Site 105-001), 1 Veterans Drive, Minneapolis, Minnesota, United States Duke University Hospital (Site 301-006), 2301 Erwin Road, Durham, North Carolina, United States Wake Forest Baptist Health (Site 210-001), Medical Center Boulevard, Winston-Salem, North Carolina, United States and 20 more
64	Intradermal Administration of a COVID-19 mRNA Vaccine in Elderly	Recruiting	No Results Available	Vaccination; Infection COVID-19	Biological: Comirnaty	Radboudumc, Nijmegen, Netherlands
65	Assessing Immune Response of Different COVID-19 Vaccines in Older Adults	Completed	No Results Available	Vaccination Reaction COVID-19 Vaccination; Infection	Biological: Comirnaty(BTN162b2) Biological: Spikevax (mRNA-1273)	 University Hospital Cologne, Cologne, Germany University Hospital Frankfurt, Frankfurt, Germany Hannover Medical School Hospital, Hannover, Germany Cork University Hospital, Cork, Ireland Royal College of Surgeons in Ireland, Dublin, Ireland St. Vincent's University Hospital, Dublin, Ireland Mater Misericordiae University Hospital, Dublin, Ireland St. James's Hospital, Dublin, Ireland Inlita JSC, Vilnius, Lithuania Vilnius University Hospital Santaros Klinikos, Vilnius, Lithuania and 6 more

	Title	Status	Study Results	Conditions	Interventions	Locations
66	Booster Dose of COVID-19 Vaccine for Kidney Transplant Recipients Without Adequate Humoral Response	Unknown status	No Results Available	COVID-19 Acute Respiratory Distress Syndrome	Biological: The Pfizer mRNA-based BNT162b2 vaccine	Locationic
67	Adverse Reactions Following COVID-19 Vaccination Among Ecuadorian Healthcare Workers	Completed	No Results Available	Adverse Drug Event	Biological: Pfizer-BioNTech COVID-19 vaccine	Universidad Espiritu Santo, Samborondon, Ecuador
68	Semen Analysis Parameters Following Pfizer's COVID-19 Vaccine	Unknown status	No Results Available	•Covid19 •Fertility Issues	Other: Sperm collection	•Sheba medical center, Ramat Gan, Israel
69	CATCH-UP Vaccines: Extension of Community - Engaged Approaches to Testing in Community and Healthcare Settings for Underserved Populations (COVID-19)	Recruiting	No Results Available	OCOVID-19 Vaccine Refusal	Behavioral: Text Message Behavioral: Motivational Interviewing Behavioral: Electronic Educational Message with Tailored Questions/Prompts	Oklahoma Clinical and Translational Science Institute, Oklahoma City, Oklahoma, United States
70	Safety and Immunogenicity of Recombinant Protein RBD Fusion Dimer Vaccine Against the Virus That Cause COVID-19, Known as Severe Acute Respiratoy Syndrome Coronavirus 2 (SARS-CoV-2)	Active, not recruiting	No Results Available	COVID-19 SARS-CoV-2 Acute Respiratory Disease	Biological: COVID-19 Vaccine HIPRA Biological: Cominarty (Pfizer-BioNtech)	National Institute of Hygiene and Epidemiology, Hanoi, Vietnam
71	Booster Study of COVID-19 Protein Subunit Recombinant Vaccine	Recruiting	No Results Available	•COVID-19	Biological: SARS-CoV-2 subunit protein recombinant vaccine Biological: Active Comparator	Faculty of Medicine Universitas Udayana, Denpasar, Bali, Indonesia Faculty of Medicine Universitas Padjadjaran, Bandung, West Java, Indonesia
72	Hacettepe University COVID-19 Vaccinated's Health Cohort- Students of Health Sciences	Active, not recruiting	No Results Available	COVID-19 Pandemic SARS-CoV2 Infection Immunization; Infection Health	Other: Observational, prospective, follow-up of the recipients of CoronaVac (inactivated), Pfizer-Biontech (mRNA) vaccines	Hacettepe University, S#hhiye Campus, Ankara, Turkey
73	COVID-19 Vaccination of Immunodeficient Persons (COVAXID)	Active, not recruiting	No Results Available	•Covid19	Biological: Comirnaty (COVID-19, mRNA vaccine)	Karolinska University Hospital, Stockholm, Huddinge, Sweden
74	Reactogenicity, Immunogenicity and Inflammatory Response by New COVID-19 Vaccine Platforms	Recruiting	No Results Available	 COVID-19 Vaccination Inflammation Vaccine Immune Response Vaccine Adverse Reaction 	Biological: either BNT162b2 or ChAdOx1 vaccine	 Ajou University School of Medicine, Suwon, Gyeonggi-do, Korea, Republic of Kangnam Sacred Heart Hospital, Seoul, Korea, Republic of Korea University Guro Hospital, Seoul, Korea, Republic of
75	Evaluation of the Post-vaccination Immune Response to COVID-19 in the New Caledonian Population	Completed	No Results Available	SARS-CoV-2 Acute Respiratory Disease	Other: Blood sample collection Other: Questionnaires	 Centre Hospitalier Territorial de Nouvelle-Calédonie, Dumbéa Sur Mer, New Caledonia Centre hospitalier spécialisé de Nouvelle-Calédonie, Nouméa, New Caledonia Vaccination centers, Province Sud, New Caledonia
76	A Trial Among HealthCare Workers (HCW) Vaccinated With Janssen Vaccine: the SWITCH Trial	Unknown status	No Results Available	•Covid19	 Biological: Vaccination once with Janssen vaccine (only priming) Biological: Vaccination with Janssen vaccine followed with Janssen vaccine (homologous boosting). Biological: Vaccination with Janssen vaccine followed with Moderna vaccine (heterologous boosting). Biological: Vaccination with Janssen vaccine followed with Pfizer vaccine (heterologous boosting). 	AmsterdamUMC, Amsterdam, Netherlands UMCG, Groningen, Netherlands LUMC, Leiden, Netherlands Erasmus MC, Rotterdam, Netherlands

	Title	Status	Study Results	Conditions	Interventions	Locations
77	Title A Phase 1/2/3 Study to Evaluate the Safety, Tolerability, and Immunogenicity of an RNA Vaccine Candidate Against COVID-19 in Healthy Children	Status Completed	Study Results No Results Available	•SARS-CoV-2 Infection, COVID-19	Interventions •Biological: Biological/Vaccine: BNT162b2 10mcg •Biological: BNT162b2 20mcg •Biological: BNT162b2 30mcg •Other: Placebo •Biological: Biological/Vaccine: BNT162b2 3mcg	 University of Alabama at Birmingham - School of Medicine, Birmingham, Alabama, United States Phoenix Children's Hospital, Phoenix, Arizona, United States Kaiser Permanente Los Angeles Medical Center, Los Angeles, California, United States SCPMG/Kaiser Permanente Los Angeles Medical Center, Los Angeles, California, United States Matrix Clinical Research, Los Angeles, California, United States Madera Family Medical Group, Madera, California, United States Kaiser Permanente Oakland, Oakland, California, United States Clinical & Translational Research Unit (CTRU) & Spectrum BioBank, Stanford University, Palo Alto, California, United States Lucile Packard Children's Hospital Stanford, Palo Alto, California, United States Center for Clinical Trials, LLC, Paramount, California, United States and 136 more
78	Safety and Efficacy of COVID-19 Prime-boost Vaccine in Bahrain	Completed	No Results Available	SARS-CoV 2 Infection Covid19	Biological: BBIBP-CorV Biological: BNT162b2	Royal College of Surgeons in Ireland - Bahrain, Manama, Bahrain
79	A Study to Learn About Variant-Adapted COVID-19 RNA Vaccine Candidate(s) in Healthy Children	Recruiting	No Results Available	SARS-CoV-2 Virus Severe Acute Respiratory Syndrome Coronavirus 2 COVID-19	 Biological: Bivalent BNT162b2 (original/Omicron BA.4/BA.5) 3 microgram dose Biological: Bivalent BNT162b2 (original/Omicron BA.4/BA.5) 6 microgram dose Biological: Bivalent BNT162b2 (original/Omicron BA.4/BA.5) 10 microgram dose Biological: Variant-adapted BNT162b2 (Omicron XBB.1.5) Substudy A Ph 2/3 Selected Dose Biological: Variant-adapted BNT162b2 (Omicron XBB.1.5) 3 microgram dose Biological: Variant-adapted BNT162b2 (Omicron XBB.1.5) 6 microgram dose Biological: Variant-adapted BNT162b2 (Omicron XBB.1.5) 10 microgram dose Biological: Variant-adapted BNT162b2 (Omicron XBB.1.5) 10 microgram dose 	 •UAB Child Health Research Unit (CHRU), Birmingham, Alabama, United States •UAB Child Health Research Unit (CHRU), Birmingham, Alabama, United States •Phoenix Children's Hospital, Phoenix, Arizona, United States •Northwest Arkansas Pediatric Clinic, Fayetteville, Arkansas, United States •Paradigm Clinical Research Centers, Inc, La Mesa, California, United States •Kaiser Permanente, Los Angeles, California, United States •Clinical and Translational Research Unit (CTRU) & Spectrum Biobank, Palo Alto, California, United States •Center for Clinical Trials, LLC, Paramount, California, United States •Peninsula Research Associates, Rolling Hills Estates, California, United States •Stanford University Medical Center, Stanford, California, United States •and 81 more
80	Post COVID-19 Vaccination Analysis in Healthcare Worker Recipients	Completed	No Results Available	Covid19 Vaccine Reaction	Drug: COVID-19 vaccine	•Huntington Hospital, Pasadena, California, United States
81	Myocardial Injury After BNT162b2 mRNA COVID-19 Fourth Dose Vaccination Among Israeli Health Care Workers	Completed	No Results Available	Myocardial Injury Vaccine Adverse Reaction COVID-19	Biological: BNT162b2	Shaare zedek MC, Jerusalem, Israel

	Title	Status	Study Results	Conditions	Interventions	Locations
82	Study to Describe the Safety, Tolerability, Immunogenicity, and Efficacy of RNA Vaccine Candidates Against COVID-19 in Healthy Individuals	Completed	No Results Available	•SARS-CoV-2 Infection •COVID-19	Biological: BNT162b2 Other: Placebo Biological: BNT162b2SA	 North Alabama Research Center, LLC, Athens, Alabama, United States Birmingham Clinical Research Unit, Birmingham, Alabama, United States Medical Affiliated Research Center, Huntsville, Alabama, United States Optimal Research, LLC, Huntsville, Alabama, United States Alliance for Multispecialty Research, LLC, Mobile, Alabama, United States Chinle Comprehensive Health Care Facility, Chinle, Arizona, United States Johns Hopkins Center for American Indian Health, Chinle, Arizona, United States The Pain Center of Arizona, Phoenix, Arizona, United States HOPE Research Institute, Phoenix, Arizona, United States Alliance for Multispecialty Research, LLC, Tempe, Arizona, United States and 159 more
83	Effectiveness and Safety of COVID-19 Vaccine in Patients With IBD Treated With Immunomodulatory or Biological Drugs (ESCAPE-IBD)	Unknown status	No Results Available	•Inflammatory Bowel Diseases	Biological: Pfizer Comirnaty vaccine	
84	Study of GRT-R910 COVID-19 Boost Vaccine in Healthy Volunteers	Completed	No Results Available	•COVID-19	 Biological: GRT-R910 10 mcg Dose (after AZ) Biological: GRT-R910 30 mcg Dose (after AZ) Biological: GRT-R910 10 mcg Dose (After Adenovirus based vaccine) Biological: GRT-R910 10 mcg Dose (after mRNA based vaccine) 	 University Hospitals Birmingham NHS, Birmingham, United Kingdom University Hospital of Leicester NHS Trust, Leicester, United Kingdom Manchester University, Manchester, United Kingdom
85	SARS-CoV-2 Immune Responses After COVID-19 Therapy and Subsequent Vaccine	Completed	Has Results	SARS-CoV2 Infection	 Biological: Study-provided Moderna mRNA-1273 COVID-19 vaccine Biological: Community-provided Moderna mRNA-1273 COVID-19 Vaccine Biological: Community-Provided Pfizer-BioNTech BNT162b2 COVID-19 Vaccine 	 •UCLA CARE Center CRS, Los Angeles, California, United States •UCSD Antiviral Research Center CRS, San Diego, California, United States •Rush University CRS (Site ID: 2702), Chicago, Illinois, United States •Brigham and Women's Hospital Therapeutics Clinical Research Site (BWH TCRS) CRS, Boston, Massachusetts, United States •Chapel Hill CRS (Site ID: 3201), Chapel Hill, North Carolina, United States •University of Washington AIDS CRS, Seattle, Washington, United States
86	Intradermal Tozinameran for Patients With Immune-mediated Dermatologic Diseases	Active, not recruiting	No Results Available	Bullous DermatosesPsoriasisCOVID-19 Vaccines	Biological: tozinameran	Dermatology outpatient clinic, Somdech Phra Debaratana Medical Center, Ramathibodi Hospital, Mahidol University, Ratchathewi, Bangkok, Thailand

	Title	Status	Study Results	Conditions	Interventions	Locations
87	A Study to Learn About New COVID-19 RNA Vaccine Candidates in COVID-19 Vaccine-Experienced Healthy Individuals	Active, not recruiting	No Results Available	•SARS-CoV-2 Infection •COVID-19	 Biological: BNT162b5 Bivalent (WT/OMI BA.2) Biological: BNT162b2 Bivalent (WT/OMI BA.1) Biological: BNT162b2 Bivalent (WT/OMI BA.4/BA.5) Biological: BNT162b5 Bivalent (Original/ OMI BA.4/BA.5) Biological: BNT162b6 Bivalent (Original/ OMI BA.4/BA.5) Biological: BNT162b7 Bivalent (Original/ OMI BA.4/BA.5) Biological: BNT162b7 Monovalent (OMI BA.4/BA.5) 	 Anaheim Clinical Trials, LLC, Anaheim, California, United States California Research Foundation, San Diego, California, United States Bayview Research Group, LLC, Valley Village, California, United States Diablo Clinical Research, Inc., Walnut Creek, California, United States Clinical Research Consulting, Milford, Connecticut, United States Research Centers of America (Hollywood), Hollywood, Florida, United States Clinical Neuroscience Solutions, Inc. dba CNS Healthcare, Jacksonville, Florida, United States Acevedo Clinical Research Associates, Miami, Florida, United States Clinical Research Atlanta, Stockbridge, Georgia, United States East-West Medical Research Institute, Honolulu, Hawaii, United States and 23 more
88	A Phase 3 Study to Evaluate the Safety, Tolerability, and Immunogenicity of Multiple Production Lots and Dose Levels of BNT162b2 RNA-Based COVID-19 Vaccines Against COVID-19 in Healthy Participants	Completed	Has Results	•SARS-CoV-2 Infection •COVID-19	•Biological: BNT162b2 •Biological: BNT162b2.B.1.351	 Kaiser Permanente Oakland, Oakland, California, United States Clinical Research Consulting, Milford, Connecticut, United States Indago Research & Health Center, Inc, Hialeah, Florida, United States Research Centers of America, Hollywood, Florida, United States Clinical Neuroscience Solutions, Orlando, Florida, United States Clinical Research Atlanta, Stockbridge, Georgia, United States East-West Medical Research Institute, Honolulu, Hawaii, United States Solaris Clinical Research, Meridian, Idaho, United States Kentucky Pediatric/Adult Research, Bardstown, Kentucky, United States Amici Clinical Research LLC, Raritan, New Jersey, United States and 7 more
89	Immunologic Responses to Single and Double Doses of COVID-19 Vaccines in Egyptians	Unknown status	No Results Available	•COVID-19 Vaccines	Biological: COVID-19 Vaccines	

	Title	Status	Study Results	Conditions	Interventions	Locations
90	A Study to Evaluate the Safety, Tolerability, and Immunogenicity of Combined Modified RNA Vaccine Candidates Against COVID-19 and Influenza	Active, not recruiting	No Results Available	•Influenza, Human •COVID-19	Biological: bivalent BNT162b2 (original/Omi BA.4/BA.5) Biological: qIRV (22/23) Biological: QIV Biological: bIRV Biological: tIRV	 North Alabama Research Center, Athens, Alabama, United States The Heart Center, Athens, Alabama, United States HOPE Research Institute, Phoenix, Arizona, United States The Pain Center of Arizona, Phoenix, Arizona, United States Orange County Heart Institute, Orange, California, United States
						 California Research Foundation, San Diego, California, United States Orange County Research Center, Tustin, California, United States Proactive Clinical Research, LLC, Fort Lauderdale, Florida, United States
						 Finlay Medical Research, Greenacres City, Florida, United States Indago Research & Health Center, Inc, Hialeah, Florida, United States and 46 more
91	Study to Evaluate the Safety, Tolerability, and Immunogenicity of an RNA Vaccine Candidate Against COVID-19 in Healthy Japanese Adults	Completed	Has Results	•SARS-CoV-2 Infection •COVID-19	Biological: BNT162b2 Other: Placebo	•SOUSEIKAI Sumida Hospital, Sumida-ku, Tokyo, Japan •SOUSEIKAI PS Clinic, Fukuoka, Japan
92	Safety and Immunogenicity Study of 20vPnC When Coadministered With a Booster Dose of BNT162b2	Completed	Has Results	Pneumococcal Disease COVID-19 SARS-CoV-2 Infection	Biological: 20-valent pneumococcal conjugate vaccine (20vPnC) Biological: BNT162b2 Other: Saline	 Anaheim Clinical Trials, LLC, Anaheim, California, United States Diablo Clinical Research, Inc., Walnut Creek, California, United States Alliance for Multispecialty Research, LLC, Coral Gables, Florida, United States Indago Research & Health Center, Inc, Hialeah, Florida, United States Research Centers of America (Hollywood), Hollywood, Florida, United States Acevedo Clinical Research Associates, Miami, Florida, United States Clinical Neuroscience Solutions, Orlando, Florida, United States Clinical Research Atlanta, Stockbridge, Georgia, United States East-West Medical Research Institute, Honolulu, Hawaii, United States Solaris Clinical Research, Meridian, Idaho, United States and 17 more

	Title	Status	Study Results	Conditions	Interventions	Locations
93	A Study to Learn About New COVD-19 RNA Vaccine Candidates for New Variants in Healthy Individuals	Active, not recruiting	No Results Available	SARS-CoV-2 Infection COVID-19	Biological: BNT162b2 (Omi XBB.1.5)	North Alabama Research Center, Athens, Alabama, United States
						Medical Affiliated Research Center, Huntsville, Alabama, United States
						Alliance for Multispecialty Research, LLC, Mobile, Alabama, United States
						•Epic Medical Research - Surprise, Surprise, Arizona, United States
						Alliance for Multispecialty Research, LLC, Tempe, Arizona, United States
						West Coast Research, Dublin, California, United States
						California Research Foundation, San Diego, California, United States
						Bayview Research Group, LLC, Valley Village, California, United States
						Diablo Clinical Research, Inc., Walnut Creek, California, United States
						Clinical Research Consulting, Milford, Connecticut, United States
						•and 30 more
94	Immunogenicity and Safety of Comvigen (Bivalent) Vaccine	Recruiting	No Results Available	 Safety of a Single Dose of COMVIGEN Vaccine 	 Biological: Comvigen (Bivalent, ChulaCov19 BNA159.2) Biological: BIVALENT Pfizer/BNT vaccine 	Department of Pediatric, Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand
				 Reactogenicity of a Single Dose of COMVIGEN Vaccine 		•HIV-NAT, Thai Red Cross - AIDS Research Centre, Bangkok, Thailand
				 Immunogenicity of a Single Dose of COMVIGEN Vaccine 		
				 Safety of a Single Dose of BIVALENT Pfizer/BNT Vaccine 		
				 Reactogenicity of a Single Dose of BIVALENT Pfizer/BNT Vaccine 		
				•Immunogenicity of a Single Dose of BIVALENT Pfizer/BNT Vaccine		
95	A Study to Learn About Two or More Vaccines That Are Put	Active, not recruiting	No Results Available	Healthy Participants	Biological: Combination [RSVpreF DNT 40010]	West Coast Research, Dublin, California, United States
	Together as One Shot Against Infectious Lung Illnesses, Including COVID-19 and Respiratory Syncytial Virus (RSV).				+BNTb162b2] •Biological: Bivalent BNT162b2 (original/	Marvel Clinical Research, Huntington Beach, California, United States
					Omi BA.4/BA.5) •Biological: RSVpreF	Artemis Institute for Clinical Research, San Diego, California, United States
					Biological: QIV Biological: Normal Saline Placebo	California Research Foundation, San Diego, California, United States
						Orange County Research Center, Tustin, California, United States
						•Diablo Clinical Research, Inc., Walnut Creek, California, United States
						Clinical Research Consulting, Milford, Connecticut, United States
						•Indago Research & Health Center, Inc, Hialeah, Florida, United States
						Wr-Msra.Llc, Lake City, Florida, United States
						Optimal Research, Melbourne, Florida, United States
						•and 23 more

	Title	Status	Study Results	Conditions	Interventions	Locations
96	Safety and Immunogenicity of LNP-nCOV saRNA-02 Vaccine Against SARS-CoV-2, the Causative Agent of COVID-19	Recruiting	No Results Available	•COVID-19	Drug: LNP-nCOV saRNA-02 Vaccine	MRC/UVRI & LSHTM Uganda Research Unit, Entebbe, Uganda
97	Patient Experiences With the COVID-19 Vaccination After Breast Cancer Treatment	Active, not recruiting	No Results Available	Breast Cancer Related Lymphedema Covid19	Other: Survey	Massachusetts General Hospital Cancer Center, Boston, Massachusetts, United States
98	Effectiveness of mRNA Covid-19 Vaccines on Cancer Patients:Observational Study. (ANTICOV)	Unknown status	No Results Available	Cancer Covid-19 Vaccine Response	Diagnostic Test: Serum collection, adverse events collection	•UO Oncologia, ASST di Cremona, Cremona, Lombardia, Italy
99	A Study to Assess the Safety and Immunogenicity of a COVID-19 Vaccine Booster in Healthy Adults	Recruiting	No Results Available	•COVID-19	Biological: Prime-2-CoV_Beta	University Hospital Tübingen, Institute of Tropical Medicine, Tübingen, Baden-Württemberg, Germany Bernhard-Nocht-Institut für Tropenmedizin, Hamburg, Germany
100	A Phase II/III Study to Evaluate the Immunogenicity and Safety and Efficacy of SWIM816 Vaccines for SARS-CoV-2	Not yet recruiting	No Results Available	•Immunogenicity •Safety	 Biological: Phase II:SWIM816;SARS-Cov-2; Biological: Phase II:SW-BIC-213;SARS-Cov-2; Biological: PhaseIII:SWIM816;SARS-Cov-2; Biological: PhaseIII:Pfizer(Pfizer Bivalent vaccine);SARS-Cov-2# 	

80 additional studies not shown

U.S. National Library of Medicine | U.S. National Institutes of Health | U.S. Department of Health & Human Services